

## Acknowledgments

This work was performed while a postgraduate student in the Zoology Department, La Trobe University, under the supervision of Dr T.R. New. Dr New, Janet Horne and Mark Smith provided helpful criticism on the manuscript.

## References

- DEN BOER, P.J. 1986. Carabids as objects of study. Pp. 539-551. In *Carabid beetles. Their adaptations and dynamics*. XVII International Congress of Entomology. Hamburg 1984. Gustav Fischer, Stuttgart and New York.
- BRANDMAYR, P. and BRANDMAYR, T.Z. 1979. The evolution of parental care phenomena in pterostichine ground beetles with special reference to the genera *Abax* and *Molops* (Coleoptera, Carabidae). Pp. 35-49. In Den Boer, P.J., Thiele, H.U. and Weber, F. (eds), *On the evolution of behaviour in carabid beetles*. Miscellaneous Papers 18 Agricultural University Wageningen, The Netherlands.
- HINTON, H.E. 1981. *Biology of insect eggs*. Vol. 1. Chapter 11. Pp. 269-311. Pergamon Press, Oxford.
- MOORE, B.P., WEIR, T.A. and PYKE, J.E. 1987. Rhysodidae and Carabidae. Pp. 20-320. *Zoological Catalogue of Australia*. Vol. 4. Coleoptera: Archostemata, Myxophaga and Adephaga. Australian Government Publishing Service, Canberra.
- SLOANE, T.G. 1913. Revisional notes on Australian Carabidae. IV. The genus *Notonomus*. *Proceedings of the Linnean Society of New South Wales*. 38: 404-449.
- TALLAMY, D.W. 1984. Insect parental care. *Bioscience* 34: 20-24.
- THIELE, H.U. 1977. *Carabid beetles in their environments*. Zoophysiology and Ecology Ser. No. 10, 369 pp. Springer-Verlag, New York.

## AN ACCUMULATIVE BIBLIOGRAPHY OF AUSTRALIAN ENTOMOLOGY

Compiled by G. Daniels

- EVANS, H.E.  
(1990). New Australian species and records of the *promontorii* group of the genus *Bembix* F. (Hymenoptera: Sphecidae: Nyssoninae). *J. Aust. ent. Soc.* 29: 27-30.
- EVENHUIS, N.L.  
(1989). Systematics and evolution of the genera in the subfamilies Usiinae and Phthiriinae (Diptera: Bombyliidae) of the world. *Entomonograph* 11: 1-72.
- EXLEY, E.M.  
(1988). Bees (Hymenoptera: Apoidea) from Carlisle Island, December 1986. *Qd Nat.* 29 (1-2): 25-26.
- FAITHFULL, I.  
(1984). The 1984 caper white migration in Melbourne. *Vict. Ent.* 14: 63, 69.  
(1984). Butterflies from the Foley Road area, Yanakie, South Gippsland, Victoria. *Vict. Ent.* 14: 64-66.  
(1988). The Big Desert - Red Bluff and the border track 3 to 7 November, 1984. Part 2. *Vict. Ent.* 18: 68-69.  
[Coleoptera: Anthicidae, Buprestidae, Geotrupidae, Scarabaeidae]  
(1988). The Big Desert - Red Bluff and the border track 3 to 7 November, 1984. Part 3. *Vict. Ent.* 18: 87-88.  
[Coleoptera: Carabidae, Scarabaeidae]  
(1988). More butterflies from Yanakie and corrections to previous note. *Vict. Ent.* 18: 89.  
(1989). Observations of swarming flies (Diptera: Chloropidae). *Vict. Ent.* 19: 58.  
(1989). Two additional Wattle Park butterflies. *Vict. Ent.* 19: 86

- FARROW, R.A.**  
 (1984). Detection of transoceanic migration of insects to a remote island in the Coral Sea, Willis Island. *Aust. J. Ecol.* 9: 253-272.
- FLETCHER, M.J.**  
 (1988). The Australian genera of Flatidae (Homoptera, Fulgoroidea). *Gen. appl. Ent.* 20: 9-32.
- FLETCHER, M.J. and STEPHENS, M.J.**  
 (1988). Key to the subfamilies and tribes of Australian Cicadellidae (Hemiptera: Homoptera). *J. Aust. ent. Soc.* 27: 61-67.
- FOLEY, D.H. and PYKE, B.A.**  
 (1985). Developmental time of *Creontiades dilutus* (Stål) (Hemiptera: Miridae) in relation to temperature. *J. Aust. ent. Soc.* 24: 125-127.
- FORSTER, P.I.**  
 (1989). Pollination of *Marsdenia fraseri* (Asclepiadaceae) by *Metriorrhynchus lateralis* (Coleoptera: Lycidae). *Coleopt. Bull.* 43: 311-312.
- GALLOWAY, I.D. and AUSTIN, A.D.**  
 (1984). Revision of the Scelioninae (Hymenoptera: Scelionidae) of Australia. *Aust. J. Zool. Suppl. Ser.* 99: 1-138.
- GARDNER, J.A.**  
 (1990). Revision of the genera of the tribe Stigmoderini (Coleoptera: Buprestidae) with a discussion of the phylogenetic relationships. *Invert. Taxon.* 3 (1989): 291-361.
- GARRETT, R.**  
 (1984). Odonata observed in the Big Desert, Victoria, November 1984. *Vict. Ent.* 14: 59.
- GIANNAKAKIS, A. and FLETCHER, B.S.**  
 (1985). Morphology and distribution of antennal sensilla of *Dacus tryoni* (Froggatt) (Diptera: Tephritidae). *J. Aust. ent. Soc.* 24: 31-35.
- GIBSON, G.A.P.**  
 (1989). Phylogeny and classification of Euplemidae, with a revision of the world genera of Calosotinae and Metapeltomatinae (Hymenoptera: Chalcidoidea). *Mem. ent. Soc. Can.* 149: 1-121.
- GOROCHOV, A.V.**  
 (1986). New and little known crickets (Orthoptera, Gryllidae) from Australia and Oceania. *Ent. Obozr.* 65: 692-708. [In Russian.]
- GRAHAM, A.J.**  
 (1988). The life history of a semi-arid population of *Croitana croites* (Hewitson), Lepidoptera: Hesperiidae: Trapezitinae). *Aust. ent. Mag.* 15: 123-126.
- GRAHAM, A.J. and MOULDS, M.S.**  
 (1988). A new species of *Jalmenus* Hübner (Lepidoptera: Lycaenidae) from Western Australia. *Gen. appl. Ent.* 20: 57-62.
- GREENSLADE, P. and DEHARVENG, L.**  
 (1984). *Caufrenylloides* (Collembola: Odontellidae), a new genus from Australia. *J. Aust. ent. Soc.* 23: 223-227.
- (1990). Australian species of the genus *Australonura* (Collembola: Neanuridae). *Invert. Taxon.* 3: 565-593.
- GREENSLADE, P.J.M. and GREENSLADE, P.**  
 (1989). Ground layer invertebrate fauna. Pp. 266-284. In Noble, J.C. and Bradstock, R.A (eds), *Mediterranean landscapes in Australia. Mallee ecosystems and their management*. CSIRO: Melbourne.
- GREGG, P.C., McDONALD, G. and BRYCESON, K.P.**  
 (1989). The occurrence of *Heliothis punctigera* Wallengren and *H. armigera* (Hübner) in inland Australia. *J. Aust. ent. Soc.* 28: 135-140.
- GREHAN, J.R.**  
 (1987). Evolution of arboreal tunnelling by larvae of *Aenetus* (Lepidoptera: Hepialidae). *N.Z. Jl Zool.* 14: 441-462. [Deals with 5 Australian species.]
- (1989). Larval feeding habits of the Hepialidae (Lepidoptera). *J. nat. Hist.* 23: 803-824.
- GRIGG, G., JACKLYN, P. and TAPLIN, L.**  
 (1988). The effects of buried magnets on colonies of *Amithermes* spp. building magnetic mounds in northern Australia. *Physiol. Ent.* 13: 285-289.
- GULLAN, P.J. and JONES, M.G.**  
 (1989). A new species of gall-forming coccoid (Insecta: Homoptera: Eriococcidae) from Western Australia. *Rec. West. Aust. Mus.* 14: 321-329.
- GUPTA, S.**  
 (1988). New distributional records for Ichneumoninae (Hymenoptera: Ichneumonidae) of the Indo-Australian area. *Orient. Insects* 22: 301-357.
- Gwynne, D.T.**  
 (1984). Nuptial feeding behaviour and female choice of mates in *Harpobittacus similis* (Mecoptera: Bittacidae). *J. Aust. ent. Soc.* 23: 271-276.

- GWYNNE, D.T. and EDWARDS, E.D.**
- (1986). Ultrasound production by genital stridulation in *Syntonarcha iriastis* (Lepidoptera: Pyralidae): long distance signalling by male moths? *Zool. J. Linn. Soc.* 88: 363-376.
- GWYNNE, D.T., YEOH, P. and SCHRATRAL, A.**
- (1988). The singing insects of King's Park and Perth gardens. *West. Aust. Nat.* 17: 25-71.
- HADLINGTON, P. and GEROZISIS, J.**
- (1985). *Urban pest control in Australia*. Pp. viii + 278, New South Wales University Press: Kensington.
- HAGAN, C.E. and GRAFF, J.A.**
- (1989). A portable light trap for *Culicoides* spp. (Diptera: Ceratopogonidae). *J. Aust. ent. Soc.* 28: 254.
- HALES, D.F., CHAPMAN, R.L., LARDNER, R.M., COWEN, R. and TURAK, E.**
- (1990). Aphids of the genus *Sitobion* occurring on grasses in southern Australia. *J. Aust. ent. Soc.* 29: 19-25.
- HALES, D.F. and LARDNER, R.M.**
- (1988). Genetic evidence for the occurrence of a new species of *Neophyllaphis* Takahashi (Homoptera: Aphididae) in Australia. *J. Aust. ent. Soc.* 27: 81-85.
- HALLIDAY, R.B.**
- (1990). Directory of Australasian Acarology. *Rep. Div. Ent. C.S.I.R.O. Aust.* 46: 1-134.
- HANCOCK, D.L.**
- (1988). A revised classification of the genus *Atrophaneura* Reakirt (Lepidoptera: Papilionidae). *Aust. ent. Mag.* 15: 7-16.
- HARDY, R.J., TERAUDS, A., RAPLEY, P.E.L., WILLIAMS, M.A., IRESON, J.E., MILLER, L.A., BRIEZE-STEGEMAN, R. and McQUILLAN, P.B.**
- (1979). Insect pest occurrences in Tasmania, 1977/78. *Insect Pest Surv. Dep. Agric. Tasm.* 11: 1-34.
- HARRIS, A.C.**
- (1988). A large migration of the Australian meadow argus butterfly *Junonia villida calybe* (Lepidoptera: Nymphalidae) to southern New Zealand. *N.Z. Ent.* 11: 67-68.
- HARSLLETT, J.**
- (1981). A lesser observed butterfly seen on the Mount Cordeaux day. *Granite Belt Nat.* 123: 6.
- HAWKESWOOD, T.J.**
- (1988). Daten zur Biologie und Nahrung dreier australischer Dermestidae (Coleoptera). *Ent. Z.* 98: 225-229.
- (1989). New host records for adults of some fungus-feeding beetles (Coleoptera) from New South Wales and Queensland, Australia. *Victorian Nat.* 106: 93-95.
- HEAP, M.A.**
- (1988). The pit-light, a new trap for soil dwelling insects. *J. Aust. ent. Soc.* 27: 239-240.
- HEARD, T.A.**
- (1988). Propagation of hives of *Trigona carbonaria* Smith (Hymenoptera: Apidae). *J. Aust. ent. Soc.* 27: 303-304.
- HEATH, J.**
- (1989). *The fly in your eye*. 20 pp. J. and E. Publishing: Perth.
- HELY, P.L., PASSFIELD, G. and GELLATLEY, J.G.**
- (1982). *Insect pests of fruit and vegetables in N.S.W.* Pp. viii + 312. Inkata Press: Melbourne.
- HILL, C.J.**
- (1988). The temporal distribution of butterfly species richness in a subtropical region of Australia. *Proc. ecol. Soc. Aust.* 15: 115-126.
- (1989). The effect of adult diet on the biology of butterflies 2. The common crow butterfly, *Euploea core corinna*. *Oecologia* 81: 258-266.
- HILL, C.J. and PIERCE, N.E.**
- (1989). The effect of adult diet on the biology of butterflies 1. The common imperial blue, *Jalmenus evagoras*. *Oecologia* 81: 249-257.
- HILL, L.**
- (1984). New genera of Hypselosomatinae (Heteroptera: Schizopteridae) from Australia. *Aust. J. Zool. Suppl. Ser.* 103: 1-55.
- (1985). Four new species of *Duonota* Hill (Heteroptera: Schizopteridae). *Aust. J. Zool.* 33: 283-271.
- (1985). New records and species of *Pateena* Hill (Heteroptera: Schizopteridae). *Aust. J. Zool.* 33: 273-281.
- (1988). The identity and biology of *Baclozygum depressum* Bergroth (Hemiptera: Thaumastocoridae). *J. Aust. ent. Soc.* 27: 37-42.
- (1990). A revision of Australian *Pachyplagia* Gross (Heteroptera: Schizopteridae). *Invert. Taxon.* 3: 605-617.
- HILL, L. and MICHAELIS, F.B.**
- (1988). Conservation of insects and related wildlife. Report on the Australian National Parks and Wildlife Service survey of insect conservation needs. *Occ. Pap. Aust. natn. Parks Wildl. Serv.* 13: i-vii, 1-40.
- HOCH, H. and ASHIE, M.**
- (1988). Cave-dwelling planthoppers of Australia (Insecta: Homoptera: Fulgoroidea). In Pearson, L. (ed.), *Reprints of papers for the 17th biennial Conference, Australian Speleological Federation. Tropical Conference*. 27-31 December 1988.

**HOCH, H. and HOWARTH, F.G.**

- (1989). Reductive evolutionary trends in two new cavernicolous species of a new Australian cixiid genus (Homoptera: Fulgoroidea). *Syst. Ent.* 14: 179-196.  
 (1989). Six new, cavernicolous cixiid planthoppers in the genus *Solonaima* from Australia (Homoptera: Fulgoroidea). *Syst. Ent.* 14: 377-402.

**HOCKEY, M.J. and DE BAAR, M.**

- (1988). New larval food plants and notes for some Australian Cerambycidae (Coleoptera). *Aust. ent. Mag.* 15: 59-66.  
 (1988). Insects of the Queensland mangroves. Part 2. Coleoptera. *Coleopts Bull.* 42: 157-160.

**HOLDOM, D.G. and TEAKLE, R.E.**

- (1990). Some interesting fungi from insects and spiders in Queensland. *News Bull. ent. Soc. Qd* 17: 111-112.

**HOLLIS, D. and BROOMFIELD, P.S.**

- (1989). *Ficus*-feeding psyllids (Homoptera), with special reference to the Homotomidae. *Bull. Br. Mus. nat. Hist. (Ent.)* 58: 131-183.

**HOLMES, D.R.**

- (1984). Collecting in the north east mountains. *Vict. Ent.* 14: 39-40.  
 (1984). The buddleia's of Harrietville. *Vict. Ent.* 14: 40-41.

**HOLT, J.A. and COVENTRY, R.J.**

- (1988). The effects of tree clearing and pasture establishment on a population of mound-building termites (Isoptera) in north Queensland. *Aust. J. Ecol.* 13: 321-325.

**HORNE, P.A. and PETTIGROVE, V.**

- (1989). A new record of *Cnephia umbratorum* (Tonnoir) (Diptera: Simuliidae) and *Apsectrotanypus pallipes* (Freeman) comb. n. (Diptera: Chironomidae) from the Otway Ranges, Victoria. *Aust. ent. Mag.* 16: 21-26.

**HORNE, P.A. and STACPOOLE, C.A.**

- (1989). An efficient technique for rearing *Phlyctinus callosus* Boheman (Coleoptera: Curculionidae). *J. Aust. ent. Soc.* 28: 152.

**HORRAK, M., WHITTLE, C.P., BELLAS, T.E. and RUMBO, E.R.**

- (1988). Pheromone gland components of some Australian tortricids in relation to their taxonomy. *J. chem. Ecol.* 14: 1163-1176.

**HOUSTON, K.J.**

- (1988). Larvae of *Coelophora inaequalis* (F.), *Phrynocaria gratiosa* (Mulsant) and *P. astrolabiana* (Weise) (Coleoptera: Coccinellidae) with notes on their relationships and prey records. *J. Aust. ent. Soc.* 27: 199-211.

**HOUSTON, T.F.**

- (1989). *Leioproctus* bees associated with Western Australian smoke bushes (*Conospermum* spp.) and their adaptations for foraging and concealment (Hymenoptera: Colletidae: Paracolletini). *Rec. West. Aust. Mus.* 14: 275-292.

**HOUSTON, W.W.K. and WATSON, J.A.L.**

- (1988). Odonata. Pp. 33-132, index 289-299. In Houston, W.W.K. (ed.), *Zoological catalogue of Australia*. Vol. 6, Ephemeroptera, Megaloptera, Odonata, Plecoptera, Trichoptera. Australian Government Publishing Service: Canberra.

**HOWDEN, H.F.**

- (1990). The Geotrupinae of New Guinea (Coleoptera: Scarabaeidae). *Invert. Taxon.* 3 (1989): 261-289. [Deals with species common to New Guinea and Australia.]

**HUGHES, R.D. and MORTON, R.**

- (1985). Bush fly abundance in an overwintering zone during 1979-82 compared with data collected before the introduction of exotic dung beetles. *J. Aust. ent. Soc.* 24: 65-68.

**HUNTING, M.M.**

- (1984). Observations from the Victorian high plains. *Vict. Ent.* 14: 36-37.

- (1990). *Hesperilla chrysotricha* (Lepidoptera: Hesperiidae) in New South Wales. *Vict. Ent.* 20: 29.

**HUTCHISON, M.J.**

- (1988). The invasion of S.W. Australia by the orange palmdart *Cephrenes augiades sperthias* (Felder) Lepidoptera, Hesperiidae, and the subsequent increase in species associated with the fronds of the Canary Island date palm (*Phoenix canariensis*). *West. Aust. Nat.* 17: 73-86.

- (1989). The invasion of south-western Australia by the orange palmdart (*Cephrenes augiades sperthias* (Felder), Lepidoptera, Hesperiidae) and its positive effect on species richness. *J. Biogeogr.* 16: 131-139.

**IRELAND, J.E. and GRIFFIN, A.R.**

- (1984). Observations on the pollination of *Eucalyptus muelleriana* Howitt in East Gippsland. *Victorian Nat.* 101: 207-211.

**IRESON, J.E. and McQUILLAN, P.B.**

- (1984). Observations on the biology and behaviour of *Homoeosoma farinaria* Turner (Lepidoptera: Pyralidae) on *Senecio jacobaea* L., in Tasmania. *J. Aust. ent. Soc.* 23: 285-292.